



**UK & IRELAND** 

Price list valid for all orders from 1 February 2023



**VARIO** log splitters can work in several positions making them very effective, maximising productivity. They feature twin speed controls that optimise performance and 12-ton models have a twin speed pump as standard. The newly designed inclined wedge has increased performance by 30%, making it easier to penetrate harder species of wood. Non-slip aluminium inserts on the base of the log splitter allow you to work precisely without having to reposition the log when splitting.

|       |                             |          | TON | KG  | cm | cm cm      | BAR | LITERS | LINITE | SEED<br>1<br>cm | SDEED<br>cm III | RET RN<br>cm | 瓣   |        |
|-------|-----------------------------|----------|-----|-----|----|------------|-----|--------|--------|-----------------|-----------------|--------------|-----|--------|
| ART   |                             |          | 1   |     | -  |            | 90  |        | - 225  | 4               | 73              |              | 15E |        |
| 10143 | A7 VOR 350 EM<br>220 Volt   |          | 7   | 70  | 42 | 110X60X62  | 245 | 4,5    | 5,5    | 7               | 1               | 6,5          | 2   | £1,047 |
| 10213 | A7 VARIO EM<br>220 Volt     |          | 7   | 120 | 56 | 144X35X65  | 245 | 10     | 6      | 4               | 9,5             | 6,5          | 3   | £1,489 |
| 10224 | A 7 VARIO ET<br>380 Volt    | 14       | 7   | 120 | 56 | 144X35X65  | 245 | 10     | 10     | 5               | 10              | 7            | 3   | £1,489 |
| 10243 | A10 VARIO EM<br>220 Volt    | 1        | 10  | 130 | 56 | 144X35X65  | 245 | 10     | 6      | 2,5             | 6,5             | 4,5          | 3   | £1,600 |
| 10254 | A10 VARIO ET<br>380 Volt    |          | 10  | 130 | 56 | 144X35X65  | 245 | 10     | 10     | 4,5             | 11              | 7,5          | 3   | £1,600 |
| 10231 | A10 VARIO C<br>Tractor PTO  |          | 10  | 140 | 56 | 144X70X90  | 245 | 10     | 14     | 6               | 14              | 10           | 15  | £1,600 |
| 10265 | A10 VARIO SB<br>Fuel Engine | 131      | 10  | 100 | 56 | 144X35X65  | 245 | 10     | 7,5    | 3,2             | 7,7             | 5,4          | 6   | £2,035 |
| 10283 | A12 VARIO EM<br>220 Volt    | <b>✓</b> | 12  | 190 | 70 | 185X60X95  | 245 | 17     | 16     | 5,5             | 14              | 9            | 3   | £2,160 |
| 10294 | A12 VARIO ET<br>380 Volt    | <b>✓</b> | 12  | 190 | 70 | 185X60X95  | 245 | 17     | 16     | 5,5             | 14              | 9            | 3   | £2,160 |
| 10271 | A12 VARIO C<br>Tractor PTO  | 100      | 12  | 190 | 70 | 185X75X115 | 245 | 17     | 27     | 9               | 23              | 15           | 20  | £2,205 |
| 10305 | A12 VARIO SB<br>Fuel Engine | <b>✓</b> | 12  | 170 | 70 | 185X60X95  | 245 | 17     | 13     | 4,2             | 10,7            | 6,9          | 6   | £2,670 |

### O P T I O N S

### A7 - A10

| ART   |             |                   |      |
|-------|-------------|-------------------|------|
| OPA91 | DOUBLE PUMP | (A10 VARIO EM-ET) | £270 |

**2X** 





**C90 log splitters** are the result of the evolution of the classic style of log splitter. With 8.5 tons of power, the thin blade with a sharp incline angle is very effective. The large table provides practical workspace. Aluminium inserts on the base of the table allow for precise working during the splitting phase. The stroke of the wedge is adjustable via a clamp making it possible to save cycle time. The PLUS model, with its double pump, guarantees a very high-efficiency thanks to the automatic double speed. On the side of the operating levers, there are supports for placing the logs without having to pick them up from the ground each time.























| 10044 | <b>C90 EM PLUS</b> 220 V   | <b>✓</b> | 8,5 | 156 | 55 | 160X70X90 | 245 | 10 | 24 | 19 | 1 | 14 | 3  | £1,625 |
|-------|----------------------------|----------|-----|-----|----|-----------|-----|----|----|----|---|----|----|--------|
| 10055 | C90 ET PLUS<br>380 V       | <b>✓</b> | 8,5 | 154 | 55 | 160X70X90 | 245 | 10 | 24 | 19 | 1 | 14 | 3  | £1,625 |
| 10032 | C90 C<br>TRACTOR PTO       | 1//      | 8,5 | 149 | 55 | 160X70X90 | 245 | 10 | 19 | 15 | 1 | 11 | 20 | £1,625 |
| 10066 | C90 SB PLUS<br>FUEL ENGINE | <b>✓</b> | 8,5 | 120 | 55 | 160X70X90 | 245 | 10 | 13 | 11 | 1 | 8  | 6  | £2,078 |

#### **OPTIONS**

### **C90**

| ART    |  |
|--------|--|
| OPA113 |  |

| OPA113         |      |
|----------------|------|
| Four way knife | £160 |
|                |      |
|                |      |

#### ART

| 0 | PΔ | 1 | 13 | ) |
|---|----|---|----|---|

| Detatched pump for C model | (instead of fix ed pump) | £110        |
|----------------------------|--------------------------|-------------|
|                            |                          | A 1 - 2 3 - |
|                            |                          |             |





BR13 is a log splitter capable of splitting lengths up to 55cm and has an adjustable table. It is ideal for preparing wood for stoves, fireplaces or boilers. Thanks to the double speed and 13 tons of splitting power it is an efficient, productive and very robust tool.

Pro 16K is a shorter length version of our popular PRO-LINE Vertical log splitters. Built to last they feature a non-deformable beam and have a tank separate from the structure. Fast and powerful, ideal for working with large and heavy logs. They come with double speed and are available in a 16-ton version.

|       |                                    |          | TON | KG  | cm | cm cm     | BAR   | LITERS | LIIIINOTE | SOEEO 11. cm | S EE C | RET RN | 典   |        |
|-------|------------------------------------|----------|-----|-----|----|-----------|-------|--------|-----------|--------------|--------|--------|-----|--------|
| ART   |                                    |          | 100 |     |    |           | _ 177 |        |           | 4            | - 13   |        |     |        |
| 10373 | <b>PRO 16 K EM</b> 220 Volt        | <b>✓</b> | 16  | 250 | 70 | 170X70X95 | 240   | 28     | 16        | 5            | 13,5   | 7,5    | 3   | £2,385 |
| 10384 | <b>PRO 16 K ET</b> 380 Volt        | <b>✓</b> | 16  | 250 | 70 | 170X70X95 | 240   | 28     | 16        | 5            | 13,5   | 7,5    | 3   | £2,375 |
| 10392 | PRO 16 K PI<br>Tractor hydraulics  | Č.       | 16  | 195 | 70 | 170X70X95 | 240   | -      | /         | 1            | 1      | 1      | 1   | £1,830 |
| 10361 | PRO 16 K C<br>Tractor PTO          | 1        | 16  | 270 | 70 | 170X70X95 | 240   | 28     | 27        | 10           | 24     | 16     | 30  | £2,268 |
| 10405 | PRO 16 K SB<br>Fuel Engine         | <b>✓</b> | 16  | 265 | 70 | 170X70X95 | 240   | 28     | 13        | 3,7          | 7,4    | 7,4    | 6   | £2,890 |
| 10425 | PRO 16 K ROAD<br>Fuel Engine       | <b>✓</b> | 16  | 355 | 70 | 166X70X95 | 240   | 22     | 13        | 3,7          | 7,4    | 7,4    | 6   | £4,270 |
| 10451 | BR 13 500 C<br>Tractor PTO         | 4        | 13  | 235 | 55 | 210X70X95 | 230   | 20     | 27        | 9            | 23     | 15     | 30  | £2,085 |
| 10433 | <b>BR 13 500 EM</b> 220 Volt       | <b>✓</b> | 13  | 235 | 55 | 210X70X80 | 230   | 20     | 16        | 5,5          | 14     | 9      | 3   | £2,315 |
| 10444 | <b>BR 13 500 ET</b> 380 Volt       | 1/1      | 13  | 235 | 55 | 210X70X80 | 230   | 20     | 16        | 5,5          | 14     | 9      | 5,5 | £2,330 |
| 10462 | BR 13 500 PI<br>Tractor hydraulics |          | 13  | 215 | 55 | 210X70X95 | 230   | -      | 1         | 1            | 1      | 1      | 1   | £1,670 |
| 10475 | BR 13 500 SB<br>Fuel Engine        | <b>✓</b> | 13  | 255 | 55 | 210X70X80 | 230   | 20     | 13        | 4,2          | 10,7   | 6,9    | 6   | £2,850 |

### O P T I O N A L S

### PRO16K-PRO16K-BASC

| ART  |                | 100  |
|------|----------------|------|
| OPA1 | Four way knife | £148 |

| 22/2/2013 |
|-----------|







PRO-LINE Vertical is Balfor's flagship range of log splitters. Compared to the S-line it has a richer range of accessories, including a log pick, chainsaw holder, adjustable lifting attachments, a larger base frame with invited edges, a right-hand high handle and a left-hand movable handle mounted on bearings, and pipes lined with anti-shear steel mesh. Thanks to their robustness, extensive standard equipment and careful construction, they are feature-rich and able to take the most demanding wood.

| ART   |  | TON | KG  | cm  | cm cm      | BAR | OIL | LIII IN ITE | SDEED<br>cm | S EE C | RET RN<br>cm I |        |        |
|-------|--|-----|-----|-----|------------|-----|-----|-------------|-------------|--------|----------------|--------|--------|
| 10731 | PRO13 C Tractor PTO                                  | 13  | 320 | 113 | 272X120X80 | 250 | 28  | 30          | 9           | 23     | 15             | 30     | £2,970 |
| 10711 | PRO13 CA* Tractor PTO                                | 13  | 420 | 113 | 272X120X80 | 250 | 28  | 30          | 9           | 23     | 15             | 30     | £4,235 |
| 10718 | PRO13 CA radio** Tractor PTO                         | 13  | 420 | 113 | 272X120X80 | 250 | 28  | 30          | 9           | 23     | 15             | 30     | £5,210 |
| 10713 | PRO13 EM 220 Volt ✓                                  | 13  | 335 | 113 | 272X120X80 | 250 | 28  | 16          | 5,5         | 14     | 9              | 3      | £3,300 |
| 10724 | PRO13 ET 380 Volt                                    | 13  | 335 | 113 | 272X120X80 | 250 | 28  | 16          | 5,5         | 14     | 9              | 5,5    | £3,300 |
| 10747 | PRO13 C+EM Tractor PTO+ 220 Volt                     | 13  | 350 | 113 | 272x120x80 | 250 | 28  | 30/16       | 3/5,5       | 23/14  | 15/9           | 30/3   | £3,640 |
| 10758 | PRO13 C+ET<br>Tractor PTO+ 380 Volt                  | 13  | 370 | 113 | 272X120X80 | 250 | 28  | 30/16       | 9/5,5       | 23/14  | 15/9           | 30/5,5 | £3,640 |
| 10762 | PRO13 PI Tractor Hydraulics                          | 13  | 290 | 113 | 272X120X80 | 250 | /   | 1           | 1           | 1      | 1              | /      | £2,645 |
| 10775 | PRO13 SB Fuel Engine                                 | 13  | 370 | 113 | 272X120X80 | 250 | 28  | 13          | 4,2         | 10,7   | 6,9            | 6      | £3,853 |
| 19775 | PR013 SB<br>Fuel Engine ROAD LEGAL ✓                 | 13  | 430 | 113 | 272X120X80 | 250 | 28  | 13          | 4,2         | 10,7   | 6,9            | 6      | £5,700 |
| 10801 | PRO16 C Tractor PTO                                  | 16  | 335 | 113 | 272X120X80 | 250 | 28  | 30          | 6           | 16     | 16             | 30     | £3,355 |
| 10712 | PRO16 CA* Tractor PTO                                | 16  | 435 | 113 | 272X120X80 | 250 | 28  | 30          | 6           | 16     | 16             | 30     | £4,605 |
| 10719 | PRO16 CA radio** Tractor PTO                         | 16  | 435 | 113 | 272X120X80 | 250 | 28  | 30          | 6           | 16     | 16             | 30     | £5,580 |
| 10783 | PRO16 EM 220 Volt                                    | 16  | 350 | 113 | 272X120X80 | 250 | 28  | 20          | 6           | 12     | 12             | 5,5    | £3,680 |
| 10794 | PRO16 ET 380 Volt                                    | 16  | 350 | 113 | 272X120X80 | 250 | 28  | 20          | 6           | 12     | 12             | 5,5    | £3,680 |
| 10817 | PRO16 C+EM Tractor PTO+ 220 Volt                     | 16  | 360 | 113 | 272x120x80 | 250 | 28  | 30/16       | 3/5,5       | 16/12  | 16/12          | 30/5,5 | £4,010 |
| 10828 | PRO16 C+ET<br>Tractor PTO+380 Volt                   | 16  | 375 | 113 | 272X120X80 | 250 | 28  | 30/20       | 6/6         | 16/12  | 16/12          | 30/5,5 | £4,010 |
| 10832 | PRO16 PI Tractor Hydraulics                          | 16  | 290 | 113 | 272X120X80 | 250 | 1   | 1           | /           | 1      | 1              | /      | £3,015 |
| 10845 | PRO16 SB Fuel Engine                                 | 16  | 350 | 113 | 272X120X80 | 250 | 28  | 32          | 9           | 18     | 18             | 6      | £4,240 |
| 19845 | PR016 SB<br>Fuel Engine ROAD LEGAL ✓                 | 16  | 450 | 113 | 272X120X80 | 250 | 28  | 32          | 9           | 18     | 18             | 6      | £6,495 |
| 10851 | PRO19BIG C Tractor PTO                               | 19  | 390 | 123 | 290X125X90 | 250 | 45  | 45          | 11          | 25     | 19             | 40     | £3,840 |
| 10714 | PRO19BIG CA* Tractor PTO                             | 19  | 490 | 123 | 290X125X90 | 250 | 45  | 45          | 11          | 25     | 19             | 40     | £5,090 |
| 10720 | PRO19BIG CA radio** Tractor PTO                      | 19  | 490 | 123 | 290X125X90 | 250 | 45  | 45          | 11          | 25     | 19             | 40     | £6,070 |
| 10874 | PRO19BIG ET 380 Volt ✓                               | 19  | 410 | 123 | 290X125X90 | 250 | 45  | 20          | 5,5         | 12     | 10             | 5,5    | £4,280 |
| 10868 | PRO19BIG C+ET Tractor PTO+380 Volt                   | 19  | 420 | 123 | 290X125X90 | 250 | 45  | 45/20       | 11/5,5      | 25/12  | 19/10          | 40/5,5 | £4,830 |
| 10882 | PRO19BIG PI Tractor Hydraulics                       | 19  | 300 | 123 | 290X125X90 | 250 | 1   | /           | 1           | 1      | 1              | 1      | £3.510 |
| 10895 | PRO19BIG SB  | 19  | 390 | 123 | 290X125X90 | 250 | 45  | 32          | 8,5         | 18,5   | 15             | 9      | £5,274 |
| 19895 | PRO19BIG SB ROAD LEGAL V                             | 19  | 480 | 123 | 290X125X90 | 250 | 45  | 32          | 8,5         | 18,5   | 15             | 9      | £7,130 |
| 10901 | Fuel Engine PRO22BIG C Tractor PTO                   | 22  | 420 | 123 | 290X125X90 | 250 | 45  | 45          | 9           | 25     | 15             | 40     | £4.115 |
| 10715 | PRO22BIG CA* Tractor PTO                             | 22  | 520 | 123 | 290X125X90 | 250 | 45  | 45          | 9           | 25     | 15             | 40     | £5,365 |
| 10721 | PRO22BIG CA radio**                                  | 22  | 520 | 123 | 290X125X90 | 250 | 45  | 45          | 9           | 25     | 15             | 40     | £6,340 |
| 10924 | Tractor PTO  PRO22BIG ET 380 Volt   ✓                | ,   | 440 | 123 | 290X125X90 | 250 | 45  | 20          | 4,5         | 12     | 7              | 5,5    | £4.540 |
| 10918 | PRO22BIG C+ET  | ,   | 460 | 123 | 290X125X90 | 250 | 45  | 45/20       | 9/4,5       | 25/12  | 15/7           | 40/5,5 | £5,105 |
| 10932 | Tractor PTO+380 Volt  PRO22BIG PI Tractor Hydraulics | 22  | 350 | 123 | 290X125X90 | 250 | /   | /           | /           | /      | /              | /      | £3,740 |
| 10945 | PRO22BIG SB Fuel Engine                              | ,   | 410 | 123 | 290X125X90 | 250 | 45  | 32          | 7           | 16     | 13             | 9      | £5,539 |
| 19945 | PRO22BIG SB POAD LECAL                               |     | 490 | 123 | 290X125X90 | 250 | 45  | 32          | 7           | 16     | 13             | 9      | £7,385 |
| 10951 | Fuel Engine PRO26BIG C Tractor PTO                   | 26  | 630 | 126 | 293X135X90 | 250 | 60  | 80          | 15          | 36     | 24             | 80     | £5,590 |
| 10716 | PRO26BIG CA* Tractor PTO                             | 26  | 730 | 126 | 293X135X90 | 250 | 60  | 80          | 15          | 36     | 24             | 80     | £6,840 |
| 10722 | PRO26BIG CA radio**                                  | 26  | 730 | 126 | 293X135X90 | 250 | 60  | 80          | 15          | 36     | 24             | 80     | £7,820 |
| 10971 | PRO35BIG C Tractor PTO                               | 35  | 670 | 126 | 293X135X90 | 250 | 60  | 80          | 12          | 36     | 18             | 90     | £6,580 |
| 10717 | PRO35BIG CA* Tractor PTO                             | 35  | 770 | 126 | 293X135X90 | 250 | 60  | 80          | 12          | 36     | 18             | 90     | £7,830 |
| 10723 | PRO35BIG CA radio**                                  | 35  | 770 | 126 | 293X135X90 | 250 | 60  | 80          | 12          | 36     | 18             | 90     | £8,805 |
|       | Tractor PTO  | -   |     |     |            |     |     |             |             |        |                |        |        |

### OPTIONALS

### PRO

| ART         |                |             |      |
|-------------|----------------|-------------|------|
| OPA1        | Four way knife | PRO 13 - 16 | £165 |
| OPS1922V1   | Four way knife | PRO 19 - 22 | £200 |
| OPPR02635V2 | Four way knife | PRO 26 - 35 | £240 |

|             | tached pump for model C | (Instead of fixed pump) | £115 |
|-------------|-------------------------|-------------------------|------|
| OPPR02635V3 | adjustable table        | PRO 26 - 35             | £285 |
| OPPR01922V3 | adjustable table        | PRO 19 - 22             | £200 |
| OPPR01316V3 | adjustable table        | PRO 13 - 16             | £165 |



A16-A22 are traditional style horizontal log splitters, robust and practical thanks to their construction on a non-deformable beam, available in many versions and always with double speed and 4-split wedge. These models can be built bespoke to suit your individual requirements.

These splitters can be built bespoke & are available in 12 ton to 100 ton versions

Contact us directly for more information

|       |                                      |          | TON  | KG  | cm   | cm cm       | BAR | OIL | LIIIINOTE | SOEED 1 | SDEED<br>2<br>cm | RET RN | *** |        |
|-------|--------------------------------------|----------|------|-----|------|-------------|-----|-----|-----------|---------|------------------|--------|-----|--------|
| ART   | _                                    |          | 1014 |     | 233  |             |     |     | - 31      | OIII    | 01112            | 7/4    | 100 |        |
| 11231 | A16 OR 650 C<br>Tractor PTO          |          | 16   | 280 | 70   | 190X80X85   | 220 | 35  | 40        | 9       | 24               | 14     | 40  | £3,390 |
| 11224 | <b>A16 OR 650 ET TOW</b> 380 Volt    |          | 16   | 330 | 70   | 210X120X115 | 220 | 35  | 20        | 4,5     | 12               | 7      | 5,5 | £4,435 |
| 11242 | A16 OR 650 PI<br>Tractor hydraulics  |          | 16   | 200 | 70   | 190X80X85   | 220 | 35  | 1         | 1       | 1                | -1     | 1   | £2,980 |
| 11255 | A16 OR 650 SB TOW<br>Fuel Engine     | <b>✓</b> | 16   | 330 | 70   | 210X120X115 | 220 | 35  | 13        | 2,7     | 7,5              | 4,2    | 6   | £4,710 |
| 11281 | A16 OR 1060 C<br>Tractor PTO         |          | 16   | 340 | 110  | 275X80X85   | 220 | 35  | 40        | 9       | 24               | 14     | 40  | £3,660 |
| 11274 | <b>A16 OR 1060 ET TOW</b> 380 Volt   | 5.7      | 16   | 390 | 110  | 295X120X115 | 220 | 35  | 20        | 4,5     | 12               | 7      | 5,5 | £4,690 |
| 11292 | A16 OR 1060 PI<br>Tractor hydraulics | -        | 16   | 265 | 110  | 275X80X85   | 220 | 35  | /         | 1       | /                | /      | 1   | £3,245 |
| 11305 | A16 OR 1060 SB TOW<br>Fuel Engine    | <b>✓</b> | 16   | 390 | 110  | 295X120X115 | 220 | 35  | 32        | 6,5     | 19               | 11     | 6   | £5,305 |
| 11331 | A22 OR 1060 C<br>Tractor PTO         |          | 22   | 460 | 110  | 290X90X95   | 230 | 45  | 70        | 15      | 36               | 24     | 85  | £4,890 |
|       |                                      |          | 100  | 1.7 | 1000 | 100000      |     |     |           | -       | 100/100          |        |     |        |

#### **OPTIONS**

| ART      |                           |                     |     | ART      |                    |                                 |     |
|----------|---------------------------|---------------------|-----|----------|--------------------|---------------------------------|-----|
| OPA12OR5 | Lateral hydraulic loading | (1060 only)         | POA | OPA12OR3 | Wheels and drawbar | (rigid axel, for off-road only) | POA |
|          |                           |                     | 100 |          |                    |                                 |     |
|          |                           |                     |     |          |                    | "                               |     |
| OPA120R4 | Sprung axle               | (road version only) | POA |          |                    | act for enacial cize            |     |

Lots of options available.







**The PRO series horizontal** log splitters are very robust log splitters, built to be efficient and make the splitting of longer lengths easier and more precise. Due to the smart design, they are easy to transport to different job sites as the fold up to sit behind the back of a tractor or for storage. Thanks to the hydraulic loading (available on all standard versions), the AUTOLOAD system makes it easy to move larger logs on to the bed for splitting. The fully adjustable hydraulic knife allows you to split the log with extreme precision. Once the log is split the table holds the split wood allowing the operator to pick up without the need for bending. The whole frame, as well as the hydraulic wedge, are made of non-deformable DOMEX steel, a guarantee of quality and maximum durability.

The **ROAD** extended bed versions are equipped with rear lights, large trailer wheels and removable drawbar and are used for longer lengths of timber and oversized logs.

|       |   | TON | KG   | cm  | cm cm          | BAR | OIL | LIIIINITE | SIEED<br>1<br>cm | SDEED 2 | RET RN cm I | 典    |         |
|-------|---|-----|------|-----|----------------|-----|-----|-----------|------------------|---------|-------------|------|---------|
| ART   |   | 717 |      |     |                |     | -23 | White.    |                  | 4       | 100         |      | 1       |
| 11441 | PRO22 OR 1250 C AUTOLOAD<br>Tractor PTO           | 22  | 600  | 125 | 400X136X132/84 | 230 | 50  | 40        | 9                | 24      | 14          | 45   | £8,086  |
| 11454 | PRO22 OR 1250 ET AUTOLOAD<br>380 Volt             | 22  | 700  | 125 | 400X136X132/84 | 230 | 50  | 20        | 4,5              | 12      | 7           | 5,5  | £9,078  |
| 11461 | PRO35 OR 1250 C AUTOLOAD<br>Tractor PTO           | 35  | 950  | 125 | 420X176X142/94 | 230 | 85  | 106       | 11,5             | 35      | 17          | 85   | £11,325 |
| 11474 | PRO35 OR 1250 ET AUTOLOAD<br>380 Volt             | 35  | 1050 | 125 | 420X176X142/94 | 230 | 85  | 67        | 7,2              | 22      | 10,7        | 12,5 | £12,727 |
| 11481 | PRO45 OR 1250 C AUTOLOAD<br>Tractor PTO           | 45  | 1100 | 125 | 420X176X142/94 | 230 | 85  | 106       | 9                | 28      | 13          | 90   | £13,852 |
| 11494 | PRO45 OR 1250 ET AUTOLOAD<br>380 Volt             | 45  | 1200 | 125 | 420X176X142/94 | 230 | 85  | 67        | 5,5              | 17,5    | 8           | 12,5 | £14,704 |
| 11462 | PRO35 OR 1250 CA AUTOLOAD *<br>Tractor PTO        | 35  | 1100 | 125 | 420X176X142/94 | 230 | 85  | 106       | 11,5             | 35      | 17          | 85   | £13,238 |
| 11463 | PRO35 OR 1250 CA radio AUTOLOAD ** Tractor PTO    | 35  | 1100 | 125 | 420X176X142/94 | 230 | 85  | 106       | 11,5             | 35      | 17          | 85   | £14,743 |
| 11464 | PRO45 OR 1250 CA AUTOLOAD *<br>Tractor PTO        | 45  | 1100 | 125 | 420X176X142/94 | 230 | 85  | 106       | 9                | 28      | 13          | 90   | £14,762 |
| 11465 | PRO45 OR 1250 CA radio AUTOLOAD **<br>Tractor PTO | 45  | 1100 | 125 | 420X176X142/94 | 230 | 85  | 106       | 9                | 28      | 13          | 90   | £15,688 |

|       |   | TON   | KG   | cm  | cm cm          | BAR | LITERS | LIMINOTE | SOEEO 11 cm III | SOEEO<br>2<br>cm | RET RN cm T | 鉄  |         |
|-------|---|-------|------|-----|----------------|-----|--------|----------|-----------------|------------------|-------------|----|---------|
| ART   |   | 3/2// | 1000 |     | 11/10          | 2 3 | 1. 10  | 200      |                 | 1                | 1.50        | 1  |         |
| 18461 | PRO35 OR 2100 C ROAD<br>Tractor PTO       | 35    | 1550 | 210 | 720X176X142/94 | 230 | 85     | 106      | 11,5            | 35               | 17          | 85 | £18,528 |
| 18481 | PRO45 OR 2100 C ROAD<br>Tractor PTO       | 45    | 1700 | 210 | 720X176X142/94 | 230 | 85     | 106      | 9               | 28               | 13          | 90 | £20,440 |
| 17461 | PRO35 OR 2600 C ROAD<br>Tractor PTO       | 35    | 1900 | 260 | 720X176X142/94 | 230 | 85     | 106      | 11,5            | 35               | 17          | 85 | £20,013 |
| 17481 | PRO45 OR 2600 C ROAD<br>Tractor PTO       | 45    | 2050 | 260 | 720X176X142/94 | 230 | 85     | 106      | 9               | 28               | 13          | 90 | £21,927 |
| 10727 | PRO35 OR 2100 C ROAD Radio<br>Tractor PTO | 35    | 1550 | 210 | 720X176X142/94 | 230 | 85     | 106      | 11,5            | 35               | 17          | 85 | £21,023 |
| 10728 | PRO45 OR 2100 C ROAD Radio<br>Tractor PTO | 45    | 1700 | 210 | 720X176X142/94 | 230 | 85     | 106      | 9               | 28               | 13          | 90 | £22,936 |
| 10729 | PRO35 OR 2600 C ROAD Radio<br>Tractor PTO | 35    | 1900 | 260 | 720X176X142/94 | 230 | 85     | 106      | 11,5            | 35               | 17          | 85 | £22,510 |
| 10730 | PRO45 OR 2600 C ROAD Radio<br>Tractor PTO | 45    | 2050 | 260 | 720X176X142/94 | 230 | 85     | 106      | 9               | 28               | 13          | 90 | £24,422 |

| 100   |   | N   | KG   | cm  | cm             | BAR | LITERS | LINITE | SEEE | SOEED 2 | RETORN | 典  |         |
|-------|---|-----|------|-----|----------------|-----|--------|--------|------|---------|--------|----|---------|
|       |   | TON |      | GO  | ~              | 404 | OIL    |        | cm□  | cm 🎞    | cmⅢ    |    |         |
| ART   |   |     |      |     |                |     |        |        |      |         |        |    |         |
| 16461 | PRO35 OR 2100 C<br>ROAD AUTOLOAD<br>Tractor PTO | 35  | 1700 | 210 | 820X176X142/94 | 230 | 85     | 106    | 11,5 | 35      | 17     | 85 | £20,013 |
| 16481 | PRO45 OR 2100 C<br>ROAD AUTOLOAD<br>Tractor PTO | 45  | 1850 | 210 | 820X176X142/94 | 230 | 85     | 106    | 9    | 28      | 13     | 90 | £21,927 |
| 15461 | PRO35 OR 2600 C<br>ROAD AUTOLOAD<br>Tractor PTO | 35  | 2050 | 260 | 820X176X142/94 | 230 | 85     | 106    | 11,5 | 35      | 17     | 85 | £21,499 |
| 15481 | PRO45 OR 2600 C<br>ROAD AUTOLOAD<br>Tractor PTO | 45  | 2200 | 260 | 820X176X142/94 | 230 | 85     | 106    | 9    | 28      | 13     | 90 | £24,917 |

### OPTIONALS

#### PRO 35 OR - PRO 45 OR

#### ART Low power kit £636 OPA3457 (50 HP) £762 **OPA3456** 6 Way Knfe £813 OPB3456 8 Way Knfe Wheels and lights £2,486 OPA3450

### PRO 22 OR

| ART        |                   |        |
|------------|-------------------|--------|
| OPPRO12OR1 | 6 Way Knfe        | £495   |
| OPTERU     | Wheels and lights | £2,405 |
|            |                   |        |





SHARK saws are the result of careful research and decades of experience in the manufacturing of professional saws. SHARK is the only saw that can cut logs over 30 cm in diameter, they also allow great visibility when cutting providing safely without obstructing the view of the cutting operation. They come with saw holder, adjustable rear blade guide, WIDIA blade, 3-belt drive (not 220V), vacuum system, emergency brake and double log grip handle mounted on bearings are just some of the features that make SHARK a superior product. Like all Balfor products, Shark complies with the latest safety standards.














ART

| 41831 | SHARK 700 C<br>Tractor PTO                             |             | 175 | 30          | 125X78X125 | 25  | £1,985 |
|-------|--|-------------|-----|-------------|------------|-----|--------|
| 41813 | SHARK 700 EM<br>220 Volt                               |             | 210 | 30          | 125X76X110 | 3   | £1,940 |
| 41824 | SHARK 700 ET<br>380 Volt                               |             | 210 | 30          | 125X76X110 | 5.5 | £2,210 |
| 41861 | SHARK 750 C<br>Tractor PTO                             |             | 175 | 32.5        | 125X78X125 | 25  | £2,180 |
| 41874 | SHARK 750 ET<br>380 Volt                               | 11 500      | 210 | 32.5        | 125X76X110 | 5.5 | £2,405 |
| 41845 | SHARK 700 SB<br>Fuel Engine                            | 1 / 1/1/1/1 | 200 | 30          | 125x78X145 | 6   | £2,597 |
| 41885 | SHARK 750 SB<br>Fuel Engine                            | 1 1 11      | 200 | 32.5        | 125x78X145 | 6   | £2,178 |
| 41855 | SHARK 700 SB ROAD Off road towable version Fuel Engine | 1 11        | 240 | 30          | 125x78X145 | 6   | £3,365 |
| 41895 | SHARK 750 SB ROAD Off road towable version Fuel Engine |             | 240 | 32.5        | 125x78X145 | 6   | £3,555 |
| 41903 | SHARK 708 EM<br>220 Volt                               | 8.5         | 360 | 30 - 8 Ton. | 1          | 3   | £3,155 |
| 41914 | SHARK 708 ET<br>380 Volt                               | 8.5         | 360 | 30 - 8 Ton. | 1          | 5.5 | £3,480 |
| 13959 | SHARK 708 SB<br>Fuel Engine                            | 8.5         | 360 | 30 - 8 Ton. | 1          | 6.5 | £3,875 |









SHARK EXPERT is the combination of the SHARK sawing machine with a wide conveyor belt with three hydraulic extensions. Because it has three extensions, SHARK EXPERT can benefit from the aid of a 5-metre belt, which when folded away makes it very compact and space-saving. The 40cm wide conveyor help to effortlessly transport the logs after cutting. The conveyor extends is hydraulic and has metal paddles and interchangeable PVC belt sections.


| ART   |   | TON | 4       | KG  | Ø    | OIL | cm cm       | 樂  |        |
|-------|---|-----|---------|-----|------|-----|-------------|----|--------|
| 41900 | SHARK 700 C EXPERT 5.0 metre / 40cm Conveyor - Tractor PTO + Tractor Hyd                                      |     | 5m/33cm | 440 | 30   | -   | 300X120X120 | 25 | £5,710 |
| 41908 | SHARK 700 C EXPERT direct drive 5.0 metre / 40cm Conveyor - Tractor PTO                                       |     | 5m/33cm | 440 | 30   | 8   | 300X120X120 | 25 | £6,200 |
| 41901 | SHARK 750 C EXPERT 5.0 metre / 40cm Conveyor - Tractor PTO + Tractor Hyd                                      |     | 5m/33cm | 440 | 32.5 |     | 300X120X120 | 25 | £5,810 |
| 41909 | SHARK 750 C EXPERT direct drive 5.0 metre / 40cm Conveyor - Tractor PTO                                       |     | 5m/33cm | 440 | 32.5 | 8   | 300X120X120 | 25 | £6,300 |
| 41904 | SHARK 700 ET EXPERT 5.0 metre / 40cm Conveyor -380 Volt   |     | 5m/33cm | 460 | 30   |     | 300X120X120 | 25 | £6,950 |
| 41906 | SHARK 750 ET EXPERT 5.0 metre / 40cm Conveyor -380 Volt   |     | 5m/33cm | 470 | 32.5 |     | 300X120X120 | 25 | £7,155 |
| 41910 | SHARK 700 C EXPERT PRO 5.0 metre Conveyor with 16 ton splitter with hydroulicly adjustable 2/4 & 6 way Knifes | 16  | 5m/33cm | 570 | 30   | 25  | 300X120X120 | 35 | £8,675 |

### O P T I O N S

#### SHARK

ART

Logsplitter for Shark Expert 16 ton with hydraulic knife OPSH1 tractor's hydraulics £2,775







**SAMURAI 700** 

The SAMURAI 700 is a pull-style saw capable of easily cutting all types of wood, logs or bundles of branches. Thanks to the innovative system, the SAMURAI 700 allows you to work with minimal effort as you don't need to move the weight of the wood just the well-balanced blade. SAMURAI 700 makes the cutting fast, safe and efficient thanks to the use of high-level components and weighted wide blade, rollers help to advance the log and the PTO version has a hydraulic transmission. SAMURAI 700 is a sawing machine of a superior level to any other.

SAMURAI 700 EXPERT AUTOMATIC is an automatic cutting version, making the process simple and fast with superior productivity. With a maximum output of 7 cubic metres per hour, the SAMURAI 700 EXPERT AUTOMATIC can work with logs or split wood. The operator only has to load the wood to be cut and the machine does the rest!.

| ART   |                              | TON | KG  | Ø  | LITERS | cm         | *** |        |
|-------|------------------------------|-----|-----|----|--------|------------|-----|--------|
| 41791 | SAMURAI 700 C<br>Tractor PTO |     | 295 | 30 | 32     | 125X78X125 | 25  | £3,025 |
| 41923 | SAMURAI 700 EM<br>220 Volt   |     | 235 | 30 |        | 125X76X110 | 3   | £2,460 |
| 41943 | SAMURAI 700 ET<br>380 Volt   |     | 230 | 30 |        | 125X76X110 | 3   | £2,460 |

| ADT          |   | TON     | KG  | Ø  | LITERS | cm cm       | *** |        |
|--------------|---|---------|-----|----|--------|-------------|-----|--------|
| ART<br>41983 | SAMURAI 700 EXPERT AUTOMAT C<br>5.0 Metre Conveyor 40cm - Tractor PTO | 5m/40cm | 640 | 30 | 32     | 300X120X120 | 25  | £9,455 |







NINJA 800 Expert is our newest model and can work on all types of wood, branches and logs and can cut, split and load your timber. By opening or closing the log holder, the operator can decide whether the wood should fall directly into the conveyor or be taken and split into a smaller diameter. The log splitter has 16 tons of power and is equipped with a robust hydraulic knife with two interchangeable splitting wedges. The wide conveyor belt with three hydraulic extensions allows fast and efficient evacuation of all the wood to be processed by the machine. The logs are moved forward with a conveyor belt and the 800 mm WIDIA blade is fully hydraulic. The operator only has to operate the levers as it's completely hydraulic. Maintenance is reduced to a minimum and to avoid overheating, an oversized tank combined with a large oil cooler. NINJA 800 Expert is already equipped with auxiliary hydraulic connections allowing the use of chain-driven log decks.

## TECNICAL DATES / FICHE TECNIQUE

|       |  | 1   |         |     | d  | LITERS | cm          | 4104 |         |
|-------|--|-----|---------|-----|----|--------|-------------|------|---------|
| ART   |  | TON | S. AR   | KG  | P  | OIL    |             |      |         |
| 25531 | NINJA 800 EXPERT<br>5 metre /33cm Conveyor - Tractor PTO   | 16  | 5m/43cm | 940 | 35 | 75     | 270X150X200 | 50   | £11,875 |
| 25532 | NINJA 800 EXPERT ROAD 5 metre /33cm Conveyor - Tractor PTO | 16  | 5m/43cm | 940 | 35 | 75     | 310X160X200 | 50   | £13,560 |









MULTICUT is Balfor's automatic multi-blade saw. Thanks to the triple-blade system and the possibility to set the cut to any length, this automatic saw has the highest hourly productivity ever built. The loading star rotates continuously and the operator only has to load the saw and MULTICUT takes care of the rest!













ART 42541

MULTICUT 5.0 metre / 43cm Conveyor - Tractor PTO

25/30/33/40/50/60 5m/43cm

1940

200

250X260X200

£23,315







The **CONTINENTAL 416** is a highly productive firewood processor. With it's 400 mm cutting capacity performed by a powerful hydraulic chainsaw, with a 16 ton splitter. The operator controls are hydraulic and the hydraulic wedge made of DOMEX® material allows you to split your logs avoiding waste or asymmetrical splitting. It comes with 3 splitting wedges 2/4, 6 & 8 way as standard. The Continental 416 is equipped with an oversized oil tank, with cool cooler and several compartments for storing tools or spare chains etc. . . The Continental 416 is also equipped with a hydraulic 3-stage conveyor and hydraulic connections for the use of a chain.

### TECNICAL DATES

|       |   | KG   | Ø  | TON | LITERS | cm [         | cm 💮 | 碘  |   |         |
|-------|---|------|----|-----|--------|--------------|------|----|---|---------|
| ART   |   |      |    |     |        |              |      |    |   |         |
| 41394 | CONTINENTAL 416 C JOY<br>Tractor PTO          | 1300 | 40 | 16  | 140    | 300x150x240h | 60   | 40 | 5 | £18,435 |
| 47023 | CONTINENTAL 416 ET JOY<br>380 Volt            | 1300 | 40 | 16  | 140    | 300x150x240h | 60   | 15 | 5 | £18,985 |
| 41498 | CONTINENTAL 416 SB JOY ROAD<br>Benzina/Petrol | 1300 | 40 | 16  | 140    | 300x200x250h | 60   | 35 | 5 | £25,865 |
| 50079 | CONTINENTAL 416 SD JOY ROAD<br>Diesel         | 1300 | 40 | 16  | 140    | 300x200x250h | 60   | 35 | 5 | £29,995 |








The **CONTINENTAL 480** is the big brother to the smaller Continental 416 and has a few extra features. In addition to the Continental 480 offers a multifunctional electric joystick and has a 48cm cutting capacity with a 22-ton splitter and a hydraulic slewing conveyor. The splitting wedge included in the scope of delivery is 2/4, but we offer 6, 8 or 12 splits as an option.



#### **OPTIONS**

#### **CONTINENTAL 480**

| ART      |               |                 |      |  |  |
|----------|---------------|-----------------|------|--|--|
| OPCONT2  | 2/6 Way Knife | Continental 480 | £669 |  |  |
| OPCONT11 | 8 Way Knife   | Continental 480 | £755 |  |  |
| OPCONT12 | 12 Way Knife  | Continental 480 | £840 |  |  |













## **>**>

# **CONTINENTAL 750**





Balfor's Continental 750 Special ranks among the largest high productivity firewood processors on the market. With the ability of cutting up-to 70cm in diameter and with a splitting force of 50 tons, it is able to perform in all situations.

The continental 750 is equipped with high-capacity wheels and a drawbar with hydraulic foot to be easily moved within the work site. As standard there is a 2.5 metre log deck with chains to advance the logs.

It comes with work lights for working in poor visibility. Roller conveyor with motorised metal rollers. Double splitting wedge 18 and 28 pieces that can be changed in a few seconds via hydraulics. Minimum length of cot is 25 cm to 65 cm maximum. Operator works on the raised platform for greater visibility and control of the machines functions.





70



50







65



140

CONTINENTAL 750 C JOYSTICK ROAD Tractor PTO 31779

9000


500

570x245x350

£105,895

















500







800



330/350



130

SS 80 + NTI

18

1200

500

5800

| ART   |   |  |         |
|-------|---|--|---------|
| 21691 | \$5 800 C Saw & Splitter. 800Tractor PTO No wheels or conveyor  | (Splitter 18 ton 2-4-6)                        | £11,595 |
| 21641 | SS 800 C NTI5 Saw & Splitter. 800Tractor PTO wheeled with 5 meter conveyor belt   | (Splitter 18 ton 2-4-6)                        | £16,285 |
| 21664 | Saw & Splitter. 800 380Volt (hp 5.5 + 5.5) No wheels or conveyor  | (Splitter 18 ton 2-4-6)                        | £13,305 |
| 21654 | SS 800 ET NTI5 Saw & Splitter. 800 380Volt wheeled with 5 meter conveyor belt   | (Splitter 18 ton 2-4-6)                        | £18,990 |
| 21678 | SS 800 CET 11 HP NTIS (elettrica + Tractor PTO) Saw & Splitter. 800 380Volt + Tractor PTO trolley + 5 meter conveyor belt | (Splitter 18 ton 2-4-6), ET (HP 5,5 + 5,5) e C | £21,265 |

#### **OPTIONS**

#### **SS 800**

Professional roller conveyor OPSS2 £1,825 OPSS3 Tractor PTO £1,080

OPSS4 Oil cooler Electric version £1,180

|       |  | TON    | H∐ŧ | cm | KG  | 典   | [ cm        | н∏∰т |        |
|-------|--|--------|-----|----|-----|-----|-------------|------|--------|
| ART   |  |        |     |    |     | 7.7 |             |      |        |
| 21503 | <b>SN 440 EM</b> 220 Volt                  |        | 29  | 43 | 150 | 3   | 182x56x85   | 91   | £2,210 |
| 21514 | <b>SN 440 ET</b><br>380 Volt               |        | 29  | 43 | 150 | 3   | 182x56x85   | 91   | £2,210 |
| 21523 | SN 520 EM<br>220 Volt                      | 11/1/2 | 38  | 50 | 200 | 3   | 202x62x100  | 91   | £2,465 |
| 21534 | <b>SN 520 ET</b><br>380 Volt               | 100    | 38  | 50 | 200 | 3   | 202x62x100  | 91   | £2,465 |
| 21573 | <b>SN 620 EM</b><br>220 Volt               | WE ST  | 42  | 61 | 260 | 3   | 217x83x120  | 92   | £2,740 |
| 21584 | <b>SN 620 ET</b><br>380 Volt               |        | 42  | 61 | 260 | 3   | 217x83x120  | 92   | £2,740 |
| 21541 | SN 620 C<br>Tractor PTO                    |        | 42  | 61 | 269 | 1   | 217x83x120  | 92   | £2,880 |
| 21568 | SN 620 C+ET<br>Tractor PTO - 380 Volt      |        | 42  | 61 | 285 | 3   | 217x83x120  | 92   | £3,425 |
| 21557 | SN 620 C+EM<br>Tractor PTO - 220 Volt      |        | 42  | 61 | 285 | 3   | 217x83x120  | 92   | £3,425 |
| 21614 | SN 720 ET<br>380 Volt                      |        | 48  | 70 | 320 | 3   | 237x85x125  | 93   | £3,370 |
| 21591 | SN 720 C<br>Tractor PTO                    |        | 48  | 70 | 318 | 1   | 237x85x125  | 93   | £3,540 |
| 21608 | SN 720 C+ET<br>Tractor PTO + 380 Volt      |        | 48  | 70 | 334 | 1   | 237x85x125  | 93   | £4,125 |
| 21621 | SS 620 C 12T<br>12 Ton. Tractor hydraulics | 12     | 42  | 61 | 395 | 1   | 260x140x135 | 92   | £4,555 |
| 21631 | SS 720 C 12T<br>12 Ton. Tractor hydraulics | 12     | 48  | 70 | 443 | 1   | 280x140x135 | 93   | £5,210 |

#### **OPTIONS**

#### SN 440/520/620/720 - SS 620/720

OPSN4402 Wheeled frame (only for private road) £1,150 £710 Hold log cart OPSN4403

Splitter driven by PTO OPSS6201 £1,025





BALFOR conveyor belts are the strongest and heaviest on the market. Built to last and to minimise maintenance and spare parts. Thanks to the modular design of the PVC belt, you have the possibility of varying their length and repairing them with little expense in the event of damage. The paddles are made of metal to maximise durability.





| ART   |                                     |         |      |     | P. |        |
|-------|-------------------------------------|---------|------|-----|----|--------|
| 52032 | NT 5,5/300 PI<br>Tractor Hydraulics | 2,9/4   | 5500 | 260 | 1  | £2,593 |
| 52003 | NT 5,5/300 EM<br>220 Volt           | 2,9/4   | 5500 | 260 | 1  | £2,712 |
| 52014 | NT 5,5/300 ET<br>380 Volt           | 2,9/4   | 5500 | 260 | 1  | £2,712 |
| 52025 | NT 5,5/300 SB<br>Fuel Engine        | 2,9/4   | 5500 | 260 | 6  | £3,550 |
| 52072 | NT 5,5/400 PI<br>Tractor Hydraulics | 2,9/4   | 5500 | 360 | 1  | £2,927 |
| 52043 | NT 5,5/400 EM<br>220 Volt           | 2,9/4   | 5500 | 360 | 1  | £3,099 |
| 52054 | NT 5,5/400 ET<br>380 Volt           | 2,9/4   | 5500 | 360 | 1  | £3,099 |
| 52065 | NT 5,5/400 SB<br>Fuel Engine        | 2,9/4   | 5500 | 360 | 6  | £3,918 |
| 52102 | NT 6,5/300 PI<br>Tractor Hydraulics | 3,4/4,5 | 6500 | 260 | /  | £2,712 |
| 52083 | NT 6,5/300 EM<br>220 Volt           | 3,4/4,5 | 6500 | 260 | 1  | £2,845 |
| 52094 | NT 6,5/300 ET<br>380 Volt           | 3,4/4,5 | 6500 | 260 | 1  | £2,842 |
| 52115 | NT 6,5/300 SB<br>Fuel Engine        | 3,4/4,5 | 6500 | 260 | 6  | £3,669 |
| 52152 | NT 6,5/400 PI<br>Tractor Hydraulics | 3,4/4,5 | 6500 | 360 | 1  | £3,099 |
| 52123 | NT 6,5/400 EM<br>220 Volt           | 3,4/4,5 | 6500 | 360 | 1  | £3,241 |
| 52134 | NT 6,5/400 ET<br>380 Volt           | 3,4/4,5 | 6500 | 360 | 1  | £3,241 |
| 2145  | NT 6,5/400 SB<br>Fuel Engine        | 3,4/4,5 | 6500 | 360 | 6  | £4,051 |
|       |                                     |         |      |     |    |        |

| ART       |                                     |         |      |     |   |        |
|-----------|-------------------------------------|---------|------|-----|---|--------|
| 52192     | NT 7,6/300 PI<br>Tractor Hydraulics | 3,8/4,9 | 7600 | 260 | 1 | £3,099 |
| 52163     | NT 7,6/300 EM<br>220 Volt           | 3,8/4,9 | 7600 | 260 | 1 | £3,219 |
| 52174     | NT 7,6/300 ET<br>380 Volt           | 3,8/4,9 | 7600 | 260 | 1 | £3,219 |
| 52232     | NT 7,6/400 PI<br>Tractor Hydraulics | 3,8/4,9 | 7600 | 360 | 1 | £3,555 |
| 52203     | NT 7,6/400 EM<br>220 Volt           | 3,8/4,9 | 7600 | 360 | 1 | £3,799 |
| 52214     | NT 7,6/400 ET<br>380 Volt           | 3,8/4,9 | 7600 | 360 | 1 | £3,799 |
|           |                                     | -       | 1111 |     |   |        |
| 52272     | NT 8,7/300 PI<br>Tractor Hydraulics | 4/5,3   | 8700 | 260 | 1 | £3,413 |
| 52243     | NT 8,7/300 EM<br>220 Volt           | 4/5,3   | 8700 | 260 | 1 | £3,557 |
| 52254     | NT 8,7/300 ET<br>380 Volt           | 4/5,3   | 8700 | 260 | 1 | £3,557 |
| <br>52312 | NT 8,7/400 PI<br>Tractor Hydraulics | 4/5,3   | 8700 | 360 | 1 | £4,016 |
| 52283     | NT 8,7/400 EM<br>220 Volt           | 4/5,3   | 8700 | 360 | 1 | £4,350 |
| 52294     | NT 8,7/400 ET<br>380 Volt           | 4/5,3   | 8700 | 360 | 1 | £4,350 |
|           |                                     |         |      |     |   |        |

Please note due to their size, these items come on a pallet for self-assembly









|       |             | Son           | KG  | cm cm   | m/s  | 典  |         |
|-------|-------------|---------------|-----|---------|------|----|---------|
| ART   |             |               | 500 |         |      |    |         |
| 72341 | BF 30       | 60 m / 9 mm   | 185 | 100x185 | 0,80 | 15 | £2,995  |
| 72351 | BF 35       | 70 m / 10 mm  | 245 | 120x200 | 0,80 | 25 | £3,399  |
| 72361 | BF 45       | 90 m / 10 mm  | 300 | 142x205 | 0,90 | 35 | £4,005  |
| 72371 | BF 45 R     | 90 m / 10 mm  | 316 | 142x205 | 0,60 | 35 | £4,160  |
| 72381 | BF 45 H*    | 85 m / 09 mm  | 331 | 142x205 | 0,90 | 35 | £6,750  |
| 72391 | BF 55       | 90 m / 11 mm  | 340 | 152x215 | 0,90 | 50 | £4,330  |
| 72401 | BF 55 R     | 90 m / 11 mm  | 356 | 152x215 | 0,60 | 50 | £3,370  |
| 72411 | BF 55 H*    | 90 m / 10 mm  | 345 | 152x215 | 0,90 | 50 | £7,185  |
| 72442 | BF 55 HUD** | 90 m / 10 mm  | 365 | 152x215 | 0,90 | 50 | £8,900  |
| 72421 | BF 75       | 100 m / 11 mm | 486 | 162x235 | 0,60 | 60 | £6,200  |
| 72431 | BF 75 H*    | 100 m / 11 mm | 520 | 162x235 | 0,60 | 60 | £9,125  |
| 72443 | BF 75 HUD** | 100 m / 11 mm | 540 | 162x235 | 0,60 | 60 | £10,845 |
| 72441 | BF 90 H*    | 105 m / 12 mm | 562 | 182x250 | 0,60 | 75 | £10,210 |
| 72444 | BF 90 HUD** | 105 m / 12 mm | 582 | 182x250 | 0,60 | 75 | £11,930 |



**H**\* Electrohydraulic version

## **HUD\*\***

Electrohydraulic version with unwinding device

### 0 P T I O N S

BF

| ART         |                              |   |        |
|-------------|------------------------------|---|--------|
| OPVERR.4    | Chains of ESBOSCO D8X3M blue | e color ring framework                          | £110   |
| OPVERR.12   | Pulley 4 Ton.                |   | £250   |
| OPVERR.7    | Pulley 6 Ton.                | 100 A S. A. | £315   |
| OPVERR.10   | Radio Control Balfor         | (for model H)                                   | £1,480 |
| OPVERR.10 B | Radio Control BB - ELCA      | (for manual version)                            | £2,330 |

| ART      |                     |     |  |
|----------|---------------------|-----|--|
| OPVERR.6 | Coupling chocker D8 | £45 |  |



